

Ifw



Practitioner's Docket No. ST8012US

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

My application of: Michael A. Centanni et al.

Application No.: 10/663,593

Group No.: 1744 Confirmation No. 3283

Filed: September 16, 2003

Examiner: Elizabeth L. McKane

For: SENSOR FOR DETERMINING CONCENTRATION OF FLUID STERILANT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT TRANSMITTAL

1. Transmitted herewith is an amendment for this application.

STATUS

2. Applicant is other than a small entity.

CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10*

*(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)*

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

☒ deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. § 1.8(a)

☒ with sufficient postage as first class mail.

37 C.F.R. § 1.10*

as "Express Mail Post Office to Addressee"
Mailing Label No. _____ (mandatory)

TRANSMISSION

_____ facsimile transmitted to the Patent and Trademark Office, (703) _____

Signature

Christine Goellner

Date: April 8, 2005

Christine Goellner

(type or print name of person certifying)

* Only the date of filing (' 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under ' 1.8 continues to be taken into account in determining timeliness. See ' 1.703(f). Consider "Express Mail Post Office to Addressee" (' 1.10) or facsimile transmission (' 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.

EXTENSION OF TERM

3. The proceedings herein are for a patent application and the provisions of 37 C.F.R. 1.136 apply. Applicant believes that no extension of term is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition for extension of time.

FEE FOR CLAIMS

4. The fee for claims (37 C.F.R. 1.16(b)-(d)) has been calculated as shown below:

	(Col. 1)	(Col. 2)	(Col. 3)	OTHER THAN A SMALL ENTITY			
	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA				
				RATE		ADDIT. FEE	
TOTAL	28	- 31	= 0	x \$ 50.00	= \$	0.00	
INDEP.	5	- 5	= 0	x \$ 200.00	= \$	0.00	
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM				+ \$ 0.00	= \$	0.00	
TOTAL							
ADDIT. FEE						\$	0.00

No additional fee for claims is required.


FEE DEFICIENCY

5. If an additional extension and/or fee is required, charge Account No. 50-0537.

If an additional fee for claims is required, charge Account No. 50-0537.


Date: April 8, 2005

Reg. No.: 31,115
Tel. No.: 440-684-1090
Customer No.: 22203



Signature of Practitioner
Mark Kusner
KUSNER & JAFFE
Highland Place - Suite 310
6151 Wilson Mills Road
Highland Heights, Ohio 44143

Application No. 10/663,593
Amendment dated April 8, 2005
RESPONSE TO OFFICE ACTION dated January 21, 2005



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF : Michael A. Centanni et al.
FOR : SENSOR FOR DETERMINING
CONCENTRATION OF FLUID STERILANT

SERIAL NO. : 10/663,593
FILED : September 16, 2003
CONFIRMATION NO. : 3283
EXAMINER : Elizabeth L. McKane
ART UNIT : 1744
ATTORNEY DOCKET NO. : ST8012US

MAIL STOP AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO OFFICE ACTION

Dear Sir:

In response to the Office Action dated January 21, 2005, please amend the above-identified U.S. patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 7 of this paper.